

March  
2021

Omnisports products have a factory-applied surface coating called Topclean X-treme performance (XP) . This makes Omnisports extremely resistant to abrasion, stains and chemicals and thus makes it easier to maintain.

Please note that to provide the end-customer with the best use of the flooring, the maintenance procedure must carefully be followed. If not, Tarkett Sports will decline all potential damages following a non appropriate maintenance procedure.



After installation, ensure that the temperature and the relative air rate moisture always respect Tarkett Sports recommendations.

### GENERAL ADVICES

Anyone using the sports surface must wear dedicated footwear, suitable and specific for practicing indoor sports.

Around 80% of dust are coming from outside, doormats should be installed at the entrance of the sports hall which include :

- A rubber or brush mat to remove coarse dirt,
- A ribbed carpet mat to retain fine and damp dirt,
- A carpet mat to absorb residual moisture and dirt.



*Minimum 5 "foot sweeps" is recommended*

*Emco : [www.emco-bau.com](http://www.emco-bau.com)*

### DAILY MANUAL MAINTENANCE

Remove dust and gravels by sweeping or vacuum cleaning.



### WEEKLY MECHANICAL MAINTENANCE

Minimum once a week, wash mechanically with an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes.

Dilute the cleaning product (such as Tanex Trophy) by 1% (100 ml for 10 L) in the tank.

*Tanex Allround (Werner et Mertz) : [www.wmprof.com](http://www.wmprof.com)*

*Rotowash : [www.rotowash.com](http://www.rotowash.com)*

*Sanivap : [www.sanivap.com](http://www.sanivap.com)*



**Important: Please follow manufacturer's recommendations.**

*If any doubts, please contact your local Tarkett Sports representative for further information.*

March  
2021

### PERIODICAL MAINTENANCE

A periodical care can be done by using an automatic scrubber machine (for example Nilfisk BR652) fitted out with 3M red pads or with an auto scrubber (for example Rotowash B60) equipped with flexible grey brushes. Dilute the cleaning product (such as Tanex Trophy) by 10%. Apply the mix (water/Tanex Trophy) without vacuuming. Let the product soak into the floor for 5 minutes, vacuum the surface, and then clean against the floor only with water.

**Important: Please follow manufacturer's recommendations.**

For this periodical maintenance, you can also use a special scrub disc to avoid using detergent.



**ADN company : [www.adnord.net](http://www.adnord.net)**



**For a GreenLay installation, the weight of scrubber dryer + people (if stand on) must not exceed 400kg.**

### STAINS REMOVAL



Spills should be wiped up quickly, by using a white clean cloth, before they have time to set, then clean the floor with clear water.

For stubborn stains on the floor (handball players resin for instance), spray Tanex Trophy (dilution 20%), let it work during 1 minute, rub with a piece of 3M pad red, flush with water and sweep with a white clean cloth.

**Important: Please follow manufacturer's recommendations.**



#### **CAUTION, DO NOT USE**

**Benzine, toluol, acetone, tetrachlororoethene, thinner, oil wax or strong scouring powders...**

**Black rubber tires (pad on the feet of seats, bench.....) can cause permanent discoloration and should not be used.**

*If any doubts, please contact your local Tarkett Sports representative for further information.*

March  
2021

## PROTECTION OF THE FLOORING DURING NON-SPORTIVE EVENTS

In order to protect the flooring during non-sportive events, like a fair, concert or ball, we recommend the use of Tarkett Sports Protectiles or Touchdown. Under stage or podium, we recommend also to protect floor with distributions plates.

## BEHAVIOUR UNDER HEAVY ROLLING LOAD (CHERRY PICKER, FORKLIFT...)

We recommend to install a 18mm thickness timber spreader. these planks should be installed on all the rolling area. This method tends to lower the pressure on the floor (weight distribution), and avoids indentation and deformation of Omnisports. The parking time must not exceed 5 hours.

***The information given in this guide is provided for indicative purposes only. It is the result of our knowledge and our experience. It shall be taken as general maintenance instructions and cannot, by definition, incorporate the actual data for each installation. We therefore reserve the right to modify it at any time.***

*If any doubts, please contact your local Tarkett Sports representative for further information.*